Kentaro Iijima, and Professor Akira Tanaka for their assistance.
This study was financially supported by the Ministry of Education, Culture, Sports, Science, and Technology under its Grants-in-Aid for Scientific Research Planning (Grant Number 17H00802, Lead Researcher: A. Yoshida).

References

(1) http://www.env.go.jp/air/life/heat_island/guideline/chpt1.pdf
(2) http://www.wbgt.env.go.jp/pdf/H28_heatillness_report_21.pdf
(3) Architectural Institute of Japan (ed.), Cool Roof Guidebook (2014), Tijinshokan
(4) S. Wakui, Thinking about Japanese Green in the Future, T. Katsuo, T. Matsuura eds., Nipponno (2013), Nikkei-BP, 129-139
(5) A. Hoyano, J. He, Numerical Anaysis of the Summer and Winter Heat Island Potential for Various Urban Blocks, Journal of Environmental Engineering, AIJ, 74-636, 217-223, (2009)
(6) A. Yoshida, S. Shoho, S. Kinoshita, Evaluation of Reduction Effect on Thermal Load inside and outside of Concrete Building with Wooden Decoration by Numerical Analysis, Energy Procedia, (2017) in press

(Received Apr. 30, 2017, Accepted Jul. 7, 2017)